



Contactor, Definite Purpose, 50A, 3 pole, 30HP at 575VAC, 3 phase, 110/120VAC 50/60Hz coil, open

8910DPA53V02

Product availability: Stock - Normally stocked in distribution

Price*: 224.00 USD

Main

Product or Component Type	Type Definite Purpose Contactor	
Line Rated Current	50 A	
Number of Poles	3P	
Pole contact composition	3 NO	
Range of Product	NPA	

Complementary

Maximum Horse Power Rating	3 hp 115 V AC, 1 phase 10 hp 230 V AC, 1 phase 15 hp 230 V AC, 3 phase 30 hp 460 V AC, 3 phase 30 hp 575 V AC, 3 phase	
Locked rotor rated current	300 A 277 V AC 250 A 460 V AC 200 A 575 V AC	
[Ue] rated operational voltage	600 V AC	
[Uc] control circuit voltage	120 V AC 60 Hz 110 V AC 50 Hz	
Phase	3 phase	
Electrical Connection	Box lugs Quick connect terminals	
Height	4.13 in (104.90 mm) 4.1 in (105 mm)	
Width	2.56 in (65.02 mm) 2.6 in (65 mm)	
Depth	3.67 in (93.22 mm) 3.7 in (93 mm)	
Net Weight	1.50 lb(US) (0.68 kg) 1.5 lb(US) (0.7 kg)	

Environment

Product Certifications	UL Recognized
	CSA

Ordering and shipping details

Category	US1CP1B21345	
Discount Schedule	CP1B	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

GTIN	785901080756	
Returnability	Yes	
Country of origin	US	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.700 in (9.398 cm)
Package 1 Width	2.800 in (7.112 cm)
Package 1 Length	4.50 in (11.43 cm)
Package 1 Weight	24.000 oz (680.389 g)

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.

Dimensions Drawings

Approximate Dimensions

